



VIRILSAN™



HYGIENE PRODUCT CATALOGUE

**ANTIMICROBIAL
SANITIZING SOLUTIONS**



www.regalproducts.co.za



VIRILSAN™



EVERYDAY SANITIZER

TEA TREE/ VITAMIN E 70% ALC

(National Regulator for Compulsory Specifications (NRCS) Approved
Sales Permit No: 183/2020; Complies SANS 11014)

- Complies as per SANS 51276 (EN 1276) and SANS 51650 (EN 1650) testing standard for use in food, industrial, domestic, and institutional area
- Kills all known germs with >99.99 % efficiency, Special nozzle which dispenses the required amount, 2.5 to 5 ml, contact time of 10 secs.
- Premium grade citrus scented, consists of 99.9% UN approved Ethanol and Vitamin E and Tea tree oil for healthier skin.
- Also available in Premium grade Jasmin scented with 99.9% UN approved.
- Highly Effective on clean topical or inanimate surfaces, will kill or inhibit growth of microorganism
- Certain surfaces like fabric or polished wood have shown results that may discolor the surface

ANTIMICROBIAL SANITIZING SOLUTIONS



www.regalproducts.co.za



REGAL
PRODUCTS

EVERYDAY SANITIZER

TEA TREE/ VITAMIN E 70% ALC

**ANTIMICROBIAL
SANITIZING SOLUTIONS**



Product	Item	Pack	Case Lots	Price Units
VIRILSAN™ Premium Gel Citrus	50 ml	Flip Top	15 in a case	R 15.50
	100 ml	Flip Top	12 in a case	R 16.50
	200 ml	Flip Top	12 in a case	R 21.00
	500 ml	Flip Top	24 in a case	R 35.00
	500ml	Long Noz- zle Pump	24 in a case	R 42.50
	1 liter		16 in a case	R 60.00
	1 liter	Pump	16 in a case	R 49.50
	5liter	Refill	4 in a case	R 185.00
	25 liter			R 875.00
	1000 liter			R 29 500
VIRILSAN™ Premium Liquid Citrus	50 ml	Atomizer	15 in a case	R 18.50
	100 ml	Atomizer	12 in a case	R 19.75
	200 ml	Atomizer	12 in a case	R 23.50
	500 ml	Atomizer	24 in a case	R 36.50
	500ml	Long Nozzle	24 in a case	R 42.50
	1 liter	Pump	16 in a case	R 59.50
	1 liter	Spray Long	16 in a case	R 49.00
	5liter	Nozzle	4 in a case	R 180.00
	25 liter	Pump		R 850.00
	1000 liter	Refill		R 28 500
VIRILSAN™ Jasmine	5 liter	Available in other sizes On request	4 in a case	R 165.00
VIRILSAN™ Eco Blue	5 liter 25 liter 1000 liter		4 in a case	R 145.00 R 650.00 R 24 500

www.regalproducts.co.za



EVERYDAY SANITIZING WIPES
TEA TREE/ VITAMIN E 70% ALC

**ANTIMICROBIAL
SURFACE WIPES**



VIRILSAN™ - VIRILWIPES™

(National Regulator for Compulsory Specifications (NRCS)
Approved Sales Permit No: 183/2020; Complies SANS 11014)

- Complies as per SANS 51276 (EN 1276) and SANS 51650 (EN 1650) testing standard for use in food, industrial, domestic, and institutional area
- Kills all known germs with >99.99 % efficiency, Special packaging which dispenses wipes contact time of 10 secs(hands) and 5 minutes (surface).
- Highly Effective on clean topical or inanimate surfaces, will kill or inhibit growth of microorganism.
- Also available in Citrus scents with 99.9% UN approved.
- Certain surfaces like fabric or polished wood have shown results that may discolor the surface

Item	Pack	Case Lots	Price Units
1000 wipes per bucket	Bucket	4 in a case	R 215.00

www.regalproducts.co.za



SPRAY & WIPE DISINFECTANT

ALL SURFACES H2O / CHG



VIRILSAN™ Water based Disinfectant

(National Regulator for Compulsory Specifications (NRCS)
Approved Sales Permit No: 183/2020; Complies SANS 11014)

- Complies as per SANS 51276 (EN 1276) and SANS 51650 (EN 1650) testing standard for use in food, industrial, domestic, and institutional area.
- Specially formulated for cold and thermal fogging machines.
- Highly Effective on clean topical surface and inanimate surfaces, kills or inhibits growth of microorganism with 99.99% efficiency
- Complies SANS 53727 (EN 13727) and SANS 53624 (EN 13624) testing standard for use in Medical area and medical instrument.
- Recommended to use on all surfaces. Unlike alcohol-based products will not discolor polished or wood surfaces.
- Available in pleasant citrus smell, recommended use for high traffic areas

Item	Pack	Case Lots	Price Units
500 ml	Trigger Spray	30 in a case	R 37.50
5 litre	Jerry Can	4 in a case	R 75.00
25 liter		4 in a case	R 375.00

www.regalproducts.co.za

VIRILSAN Virilscrub- General and Preoperative Hand Wash

With 4% Chlorhexidine Gluconate

(National Regulator for Compulsory Specifications (NRCS) approved/Complies SANS 11014)

- Complies as per SANS 51276 (EN 1276) and SANS 51650 (EN 1650) testing standard for use in food, industrial, domestic, and institutional area.
- Specially formulated to protect hands of Medical Professionals for use in Medical and Health facilities to keep the hands germ free after each wash.
- Complies SANS 53727 (EN 13727) and SANS 53624 (EN 13624) testing standard for use in Medical area.
- Special nozzle which dispenses the required amount,



Item	Pack	Case Lots	Price Units
500 ml	Long Pump Spray	24 in a case	R 46.50
5 litre	Jerry Can	4 in a case	R 224.00

www.regalproducts.co.za



MEDICAL SANITIZER

CHG / 70% ALCOHOL



VIRILSAN™ VIRILMED-Alcohol based

Anti-Microbial/ Anti-Septic
with Chlorhexidine Gluconate

(National Regulator for Compulsory Specifications (NRCS) approved/
Complies SANS 11014)

- Complies as per SANS 51276 (EN 1276) and SANS 51650 (EN 1650) testing standard for use in food, industrial, domestic, and institutional area.
- Specially formulated for Medical Professionals for use in Medical and Health facilities.
- Complies SANS 53727 (EN 13727) and SANS 53624 (EN 13624) testing standard for use in Medical area. Specially formulated.
- Special nozzle which dispenses the required amount, Highly Effective on inanimate surfaces, will kill or inhibit microbes.

Item	Pack	Case Lots	Price Units
500 ml	Long Pump	24 in a case	R 41.50
5 litre	Spray Jerry Can	4 in a case	R 175.00


www.regalproducts.co.za



LAURES[™] Antimicrobial pH balanced Hand Soap

- Biocide with Mediscrub Technology.
Specially formulated for Medical professionals
and medical facilities.
- Kills or inhibits growth of microorganism with 99.99% efficiency.
- Special nozzle which dispenses the required amount, 2.5 to 5 ml.
- Helps in quick healing of cuts and abrasions.

Item	Pack	Case Lots	Price Units
500 ml	Pump	25 in a case	R 32.50
1 liter	Refill	16 in a case	R 34.50
5 liter	Jerry Can	4 in case	R 110.00
25 liter	Drum		R 500.00



Virilsan™ Fogging Gun

+ FREE 25L VIRILSAN WATERBASED SANITIZER

Also known as the disinfection machine. Pulsed thermal smoke generator & fog machine smoke generator.

It is mainly used in fumigation control of public places such as houses, restaurants, shops, warehouse, school communities, hospitals, etc.

Specifications:

- 180N thermal fogger parameter
- 1 Type: single pipe light weight (golden)
- 2 Stainless steel
- 3 Spraying capacity: 120 litre/hour
- 4 Solution tank volume: 16L
- 5 Empty machine weight: 7.5KG
- 6 Start method: 12V lithium battery electric ignition
- 7 Overall dimension: 114*24*30cm(L*W*H)

R7500.00



Specials on our COMBO Deal

Alcohol based combo spray

**VIRILSAN Blu surface
sanitizer (2 x 5 litre) 70%
Alcohol With
Complimentary LAURES**

R795.00

Ideal to spray in surgeries, businesses, homes, clothes and vehicles. (Surface must be compatible with alcohol if not use water-based disinfectant)

www.regalproducts.co.za



Face Masks

DELTAPLUS Facemasks

R59.00
Each

Designation :

**BOX OF 10 DISPOSABLE HALF-MASKS FFP2
WITH 4 FOLDABLE PARTS + VALVE**

Colour : White

Size : Adjustable

Specifications :

Box of 10 non woven synthetic fibre disposable masks FFP2. Mask with 4 foldable parts suitable for all faces. Nose clip for adjustment. Foam edge under nose clip. High performance exhalation valve. Hygienic individual plastic bag. DOLOMIA optional test for longer continuous wear time.

Performances :

The product complies with the European Directive 89/686, notably regarding ergonomics, innocuousness, & comfort.



EVERYDAY SANITIZER
TEA TREE/ VITAMIN E 70% ALC

**ANTIMICROBIAL
SANITIZING SOLUTIONS**



Terms & conditions

Prices are Subject to change

All products complies as per SANS standard

Products available in Liquid and or Gel Base

Packaging material subject to availability

Transport Costs will apply

Orders taken per case lot

Contact Us

Speak to Regal Products sales team available 24/7 for your queries and special deals

Jordache: 0682159305

Email: jordache@regalproducts.co.za

MJ: 084 710 0786

Martin: 078 888 8044

For any technical query send email to
technical@regalproducts.co.za

www.regalproducts.co.za

CERTIFICATION



CERTIFICATE OF CONFORMITY

intertek
Total Quality. Assured.

This certificate serves to verify that the following chemical product:

VirilSAN

was submitted for testing by:

Regal Products CC

in respect of testing against the following:

Chemical disinfectants and antiseptics. Quantitative Suspension test for the evaluation of bactericidal activity of chemical disinfectants and antiseptics used in food, industrial, domestic and institutional areas. Test method and requirements (phase 2, step 1) (BS EN 1276:2009)

Report Reference: AGR 05_20-0427-1 - the submitted sample conforms.

The product formulation was assessed for:

Toxicological Safety for Use in Direct Food Contact Applications

Report Reference: LEIC-REG-TRAG-1 - conforms if used as directed.

Certificate No:
20185/TS/0491

Date of Issue:
30 June 2020

Valid until:
29 June 2023

A. Pienaar

Amanda Pienaar
Business Line Leader - Business Assurance

Issued by:
Intertek, PO Box 12445, Aston Manor, 1630, South Africa
www.intertek.com

This Certificate of Conformance is only valid if:
• the relevant Intertek Laboratory Test Report Reference Numbers are quoted.
• is subject to any condition or limitation contained therein.
• is identified by the applicable certificate number.
• Intertek can't provide legally binding assessments referring to isolated cases.



Copyright © Intertek Services Pty Ltd

CERTIFICATE OF CONFORMITY

intertek
Total Quality. Assured.

This certificate serves to verify that the following chemical product:

VirilSAN

was submitted for testing by:

Regal Products CC

in respect of testing against the following:

EN 1650:2008-Quantitative suspension test for the evaluation of fungicidal and yeasticidal activity of chemical disinfectants and antiseptics used in food, industrial, domestic and institutional areas. Test method and requirements - phase 2, step 1.

Report Reference: AGR 05_20-0427-2 - the submitted sample conforms.

The product formulation was assessed for:

Toxicological Safety for Use in Direct Food Contact Applications

Report Reference: LEIC-REG-TRAG-1 - conforms if used as directed.

Certificate No:
20185/TS/0492

Date of Issue:
30 June 2020

Valid until:
29 June 2023

A. Pienaar

Amanda Pienaar
Business Line Leader - Business Assurance

Issued by:
Intertek, PO Box 12445, Aston Manor, 1630, South Africa
www.intertek.com

This Certificate of Conformance is only valid if:
• the relevant Intertek Laboratory Test Report Reference Numbers are quoted.
• is subject to any condition or limitation contained therein.
• is identified by the applicable certificate number.
• Intertek can't provide legally binding assessments referring to isolated cases.



Copyright © Intertek Services Pty Ltd

M and L Laboratory Services (Pty) Ltd
Reg No: 1574/001476/07 VAT No: 478013505
P O Box 82124
Southdale, 2135
40 Modulus Road
Owensdale, 2091
T: +27 31 661 7900
F: +27 31 496 2238
E: joanne.hartmann@mlslabs.co.za
W: www.mlslabs.co.za



Certificate/Report

RESULTS REPORTED RELATED ONLY TO ITEMS TESTED

COMPANY NAME	: REGAL PRODUCTS CC
ADDRESS	: E3 TABLE MOUNTAIN ROAD, BISHOPSTOWE, PMB, 3201
SUBJECT	: QUANTITATIVE SUSPENSION TEST FOR THE EVALUATION OF BACTERICIDAL ACTIVITY OF CHEMICAL DISINFECTANTS AND ANTISEPTICS USED IN FOOD, INDUSTRIAL, DOMESTIC AND INSTITUTIONAL AREAS SANS 51276:2011 (EN1276): DILUTION-NEUTRALIZATION METHOD
MARKED	: VIRILSAN ANTISEPTIC VIRILSCRUB
ACTIVE INGREDIENT	: 4% W/V CHLORHEXIDINE SOLUTION
APPEARANCE	: PINK GEL
NEUTRALIZING AGENT	: NEUTRALIZING FLUID
SOILING CONDITIONS	: PRODUCT NOT TESTED ON SOILED CONDITIONS
STORAGE CONDITIONS	: KEEP COOL AWAY FROM DIRECT SUNLIGHT
INSTRUCTED BY	: PRALAV
LAB NO.	: P241766
RECEIVED ON	: 20/01/2021
DATE ANALYSED	: 26/01/2021

EXPERIMENTAL CONDITIONS

Obligatory conditions test organisms:	<i>Enterococcus hirae</i> ATCC 10541 <i>Escherichia coli</i> ATCC 10536 <i>Pseudomonas aeruginosa</i> ATCC 15442 <i>Staphylococcus aureus</i> ATCC 6538
Test temperature:	20°C
Contact time:	5 minutes
Interfering substance:	0.3g/l Bovine serum albumin (Clean conditions)
Test incubation temperature:	37°C

PASS REQUIREMENTS:

The product shall demonstrate at least a 5 decimal log reduction when diluted with hard water/or undiluted and tested under obligatory test conditions. At least one of the test concentrations will demonstrate a log reduction of less than 5 log.

TECHNICAL SIGNATORY
T. N. N. N.

Authorised Signature (original blue ink)

Ref. No : 11263098

Issued at : Johannesburg

Date : 03/02/2021

Page : 1 of 15

All services are rendered in accordance with Bureau Veritas M&L Laboratory Services (Pty) Ltd General Terms and conditions of Business, which has been supplied to you. This certificate cannot be reproduced except in full without the written consent of M and L Laboratory Services.

www.regalproducts.co.za

CERTIFICATION

M and L Laboratory Services (Pty) Ltd
Reg No. 1974/001476/07 VAT No. 478013505
P.O. Box 82124
Southdale, 2135
40 Modulus Road
Orlando, 2091
T: +27 11 661 7900
F: +27 11 496 2238
E: info@ml-labs.co.za
W: www.ml-labs.co.za



Certificate/Report

RESULTS REPORTED RELATED ONLY TO ITEMS TESTED

COMPANY NAME : REGAL PRODUCTS CC
ADDRESS : E3 TABLE MOUNTAIN ROAD, BISHOPSTOWE, PMB, 3201
SUBJECT : QUANTITATIVE SUSPENSION TEST FOR THE EVALUATION OF BACTERICIDAL ACTIVITY OF CHEMICAL DISINFECTANTS AND ANTISEPTICS USED IN FOOD, INDUSTRIAL, DOMESTIC AND INSTITUTIONAL AREAS SANS 51276:2011 (EN1276): DILUTION-NEUTRALIZATION METHOD
MARKED : VIRILSAN (CHLORHEXIDINE BASED SOLUTION-WATER BASED)
ACTIVE INGREDIENT : CHLORHEXIDINE DIGLUCONATE/ HYDROGEN PEROXIDE
APPEARANCE : CLEAR COLOURLESS LIQUID
NEUTRALIZING AGENT : NEUTRALIZING FLUID
SOILING CONDITIONS : PRODUCT NOT TESTED ON SOILED CONDITIONS
STORAGE CONDITIONS : KEEP COOL AWAY FROM DIRECT SUNLIGHT
INSTRUCTED BY : PRALAV
LAB NO. : P241765
RECEIVED ON : 20/01/2021
DATE ANALYSED : 26/01/2021

EXPERIMENTAL CONDITIONS:

Obligatory conditions test organisms: *Enterococcus hirae* ATCC 10541
Escherichia coli ATCC 10536
Pseudomonas aeruginosa ATCC 15442
Staphylococcus aureus ATCC 6538
Test temperature: 20°C
Contact time: 5 minutes
Interfering substance: 0.3g/l Bovine serum albumin (Clean conditions)
Test incubation temperature: 37°C

PASS REQUIREMENTS:

The product shall demonstrate at least a 5 decimal log reduction when diluted with hard water/or undiluted and tested under obligatory test conditions. At least one of the test concentrations will demonstrate a log reduction of less than 5 log.

TECHNICAL SIGNATORY
T. N. Khatu

Authorised Signature (original blue ink)

Ref. No : 11263098
Issued at : Johannesburg
Date : 03/02/2021
Page : 1 of 15



Sales Permit

In terms of section 14(4) of the National Regulator for Compulsory Specifications Act, 2008 (Act No. 5 of 2008).

Permission is hereby granted in terms of section 14(4) of the National Regulator for Compulsory Specifications Act, 2008 (Act No. 5 of 2008) to the holder described hereunder to import, sell and supply non-compliant chemical disinfectants more fully described below. The Permit for sale for the said commodities shall only be applicable for a period of 6 Months from the day on which the permit is issued as the commodities have not fully satisfied the requirements of the compulsory specification applicable alternatively upon the sale of entire stock or batch for which the application was made for, whichever comes first.

Sales Permit No.:

1. Issued to:
Applicant: Regal Products cc
Contact person: Dr Praveen Bhatt
Address: E3 Table Mountain Road
Bishopstowe
Pietermaritzburg
3200

2.

Description of Product(s)	Serial number , code/brand	Batch Size Model	Quantity
VIRILSAN Hand and Surface Sanitizer	-	500ml	-

- 3.1 This Sales Permit is applicable only to the batch as identified in it.
- 3.2 This Sales Permit is issued without alterations and is only for use by the person to whom it is addressed and may not be given, sold, ceded and/or traded to any party.
- 3.3 Should a consumer complaint or any other concern deemed as such by NRCS be received regarding the safety of the product in respect of which this permit is granted, in the absence of acceptable corrective action by yourselves, the NRCS reserves the right to revoke this sales permit with immediate effect.
- 3.4 The records shall be maintained and made available to the NRCS upon request by the permit holder of all distributed products, which fall under this permit for traceability purpose.
- 3.5 Should the commodities not be sold within the stipulated period, this sales permit shall no longer be valid and ceases to exist.
- 3.6 Should the conditions of this sales be breached including the conditions terms stipulated and agreed upon in this document and any other document involved within this process, the CEO shall have the right to revoke this permit.
- 3.7 The permit holder shall ensure that every product is marked legibly and indelibly with the following information: "Sales Permit No. 163/2020"

Signed on this _____ day of _____


Mr. E. Mlamadse
CEO
National Regulator for Compulsory Specifications

Head Office
SABS Campus 1 Dr Lategan Road Greenlough Pretoria
NRCS Private Bag X25, Brooklyn 0075
Tel +27 12 428 5000 • Sharecall 0860 722 700 • Fax +27 12 428 5199
Web www.nrccs.org.za

"Protecting health, safety, the environment and ensuring fair trade"